Contents to volume 225

Review Letter

Energy transduction by the photosynthetic reaction center complex from *Rhodopseudomonas viridis* (FEB 05315) *V.P. Skulachev* 1

Research Letters

Concurrent measurements of the inhibition of ATP synthesis and alanine transport in intact cells of *Rhodobacter capsulatus* (FEB 05345) *W. Crielaard, M.G.L. Elferink, K.J. Hellingwerf, W.N. Konings, J.F. Myatt, J.B. Jackson* 6

Slow exchanging protons in the Z-form of G-C and A-C alternating polymers by using a rapid dialysis method (FEB 05342) *B. Hartmann, J. Ramstein, M. Leng* 11

Human T lymphocyte mitogenesis in response to the B oligomer of pertussis toxin is associated with an early elevation in cytosolic calcium concentrations (FEB 05346) *C.F. Strnad, R.A. Carchman* 16

Murine interleukin-1 receptor: differences in binding properties between fibroblastic and thymoma cells and evidence for a two-chain receptor model (FEB 05347) *T.A. Bird, A.J.H. Gearing, J. Saklatvala* 21

Expression of functional $(Na^+ + K^+)$-ATPase from cloned cDNAs (FEB 05349) *S. Noguchi, M. Mishina, M. Kawamura, S. Numa* 27

Characterization of soluble forms of NCAM (FEB 05333) *E. Bock, K. Edvardsen, A. Gibson, D. Linnemann, J.M. Lyles, O. Nybroe* 33

Fructose 2,6-bisphosphate in isolated foetal hepatocytes (FEB 05337) *P. Martín-Sanz, M. Cascales, L. Boscá* 37

Epidermal growth factor (EGF), tumor promoter 12-*O*-tetradecanoylphorbol 13-acetate (TPA) and calcium ionophore A23187 increase cytoplasmic free calcium and stimulate arachidonic acid release and PGE_2/6-keto $PGF_{1\alpha}$ production in cultured porcine thyroid cells (FEB 05335) *N. Takasu, T. Yamada, Y. Shimizu* 43

Clostridium perfringens iota toxin ADP-ribosylates skeletal muscle actin in Arg-177 (FEB 05352) *J. Vandekerckhove, B. Schering, M. Bärmann, K Aktories* 48

Repression and reactivation of the variant surface glycoprotein gene in *Trypanosoma brucei* (FEB 05322) *B. Ehlers, J. Czichos, P. Overath* 53

Effect of Mg^{2+} on excitation energy transfer between LHC II and LHC I in a chlorophyll-protein complex (FEB 05354) *R.S. Williams, J.F. Allen, A.P.R. Brain, R.J. Ellis* 59

Reconstitution of isolated Rieske Fe-S protein into a Rieske-depleted cytochrome b_6-f complex (FEB 05355) *Z. Adam, R. Malkin* 67

Activation of sodium-proton exchange is not a prerequisite for Ca^{2+} mobilization and aggregation in human platelets (FEB 05372) *L. Hunyady, B. Sarkadi, E.J. Cragoe, jr, A. Spät, G. Gárdos* 72

Acetylcholinesterase as polyelectrolyte in reaction with cationic substrates (FEB 05356) *V. Tõugu, A. Pedak, T. Kesvatera, A. Aaviksaar* 77

Molecular cloning and expression of *Clostridium difficile* toxin A in *Escherichia coli* K12 (FEB 05360) *B.W. Wren, C.L. Clayton, P.P. Mullany, S. Tabaqchali* 82

Evidence for a dipyrromethane cofactor at the catalytic site of *E. coli* porphobilinogen deaminase (FEB 05359) *P.M. Jordan, M.J. Warren* 87

Maximum activities of some key enzymes of glycolysis, glutaminolysis, Krebs cycle and fatty acid utilization in bovine pulmonary endothelial cells (FEB 05350) *B. Leighton, R. Curi, A. Hussein, E.A. Newsholme* 93

Adenosine analogs with covalently attached lipids have enhanced potency at A_1-adenosine receptors (FEB 05340) *K.A. Jacobson, J. Zimmet, R. Schulick, S. Barone, J.W. Daly, K.L. Kirk* 97

Lipoxin A augments release of thromboxane from human polymorphonuclear leukocyte suspensions (FEB 05358) *P. Conti, M. Reale, A. Cancelli, P.U. Angeletti* 103

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/87/$3.50 © 1987 Federation of European Biochemical Societies

Binding of heparin or dermatan sulfate to thrombin is essential for the sulfated polysaccharide-accelerated inhibition of thrombin by heparin cofactor II (FEB 05361) *R. Yamagishi, T. Koide, N. Sakuragawa* 109
Expression of pancreatic secretory trypsin inhibitor gene in neoplastic tissues (FEB 05362) *N. Tomita, A. Horii, T. Yamamoto, M. Ogawa, T. Mori, K. Matsubara* 113
Nucleosomal repeat length in active and inactive genes (FEB 05374) *A. De Ambrosis, N. Ferrari, S. Bonassi, G. Vidali* 120
Phosphoglycerate kinase from the extreme thermophile *Thermus thermophilus*: Crystallization and preliminary X-ray data (FEB 05373) *J.A. Littlechild, G.J. Davies, S.J. Gamblin, H.C. Watson* 123
Light-stimulated protein movement in rod photoreceptor cells of the rat retina (FEB 05370) *N.J. Philp, W. Chang, K. Long* 127
Loss of inducible photorepair in a frog cell line hypersensitive to solar UV light (FEB 05371) *C.C.-K. Chao, S. Lin-Chao* 133
Generation of OH radical during enzymatic reduction of 9,10-anthraquinone-2-sulphonate: Can semiquinone decompose hydrogen peroxide? (FEB 05357) *D.G. Sushkov, N.P. Gritsan, L.M. Weiner* 139
The molecular size required varies according to the reaction step round the sodium pump cycle (FEB 05351) *J.D. Cavieres* 145
On the possible mechanism of recognition of DNA base sequence by steroid hormones (FEB 05343) *B. Chandrasekhar, Mrigank, V. Kothekar* 151
The precursor of barley plastocyanin: Sequence of cDNA clones and gene expression in different tissues (FEB 05366) *P.S. Nielsen, K. Gausing* 159
Glycosylation of bacterial cellulases prevents proteolytic cleavage between functional domains (FEB 05364) *M.L. Langsford, N.R. Gilkes, B. Singh, B. Moser, R.C. Miller, jr, R.A.J. Warren, D.G. Kilburn* 163
The chymotrypsin-like activity of human prostate-specific antigen, γ-seminoprotein (FEB 05365) *K. Akiyama, T. Nakamura, S. Iwanaga, M. Hara* 168
Polymyxin B, a novel inhibitor of red cell Ca^{2+}-activated K^+ channel (FEB 05363) *Ľ. Varečka, E. Peterajová, J. Pogády* 173
Effect of dibutyryl cyclic AMP and theophylline on lipoprotein lipase secretion by human monocyte-derived macrophages (FEB 05368) *J. Gardette, D. Margelin, J.C. Maziere, J. Bertrand, J. Picard* 178
A ^{31}P MAS NMR study of cytidine 2′-phosphate bound to ribonuclease A in the crystalline state (FEB 05377) *C.M. Dobson, L.-Y. Lian* 183
Complete primary structure of the α_1-chain of human basement membrane (type IV) collagen (FEB 05367) *R. Soininen, T. Haka-Risku, D.J. Prockop, K. Tryggvason* 188
Hydroxyl radical footprinting of the sequence-selective binding of netropsin and distamycin to DNA (FEB 05375) *J. Portugal, M.J. Waring* 195
Ca^{2+}-mobilizing hormones elicit phosphatidylethanol accumulation via phospholipase D activation (FEB 05379) *S.B. Bocckino, P.B. Wilson, J.H. Exton* 201
A ribosome-associated inhibitor of in vitro nonsense suppression in [*psi*$^-$] strains of yeast (FEB 05380) *M.F. Tuite, B.S. Cox, C.S. McLaughlin* 205
Receptors on phaeochromocytoma cells for two members of the PP-fold family – NPY and PP (FEB 05381) *T.W. Schwartz, S.P. Sheikh, M.M.T. O'Hare* 209
Heterogeneity of the amino acid sequence of phytochrome from etiolated oat seedlings (FEB 05378) *R. Grimm, F. Lottspeich, W. Rüdiger* 215
The importance of the negative charge of β-lactam compounds for the inactivation of the active-site serine DD-peptidase of *Streptomyces* R61 (FEB 05353) *L. Varetto, J.-M. Frère, J.-M. Ghuysen* 218
The covalent and non-covalent binding modes of elastase with α_2-macroglobulin influence the conformation of the protease (FEB 05369) *J. Dexpert, E. Delain, B. Piriou, F. Pochon* 223
Ca^{2+} influx mediated through the GPIIb/IIIa complex during platelet activation (FEB 05384) *A. Yamaguchi, N. Yamamoto, H. Kitagawa, K. Tanoue, H. Yamazaki* 228
Susceptibility of protein kinase C to oxidative inactivation: loss of both phosphotransferase activity and phorbol diester binding (FEB 05386) *R. Gopalakrishna, W.B. Anderson* 233
Growth hormone gene expression in myoepithelial cells directed by various eucaryotic transcriptional regulatory sequences (FEB 05382) *R.C. Gorewit, H.Y. Chen, J.J. Kopchick* 238

Nucleotide sequence of the PR-1 gene of *Nicotiana tabacum* (FEB 05383) *M. Ohshima, M. Matsuoka, N. Yamamoto, Y. Tanaka, Y.Kano-Murakami, Y. Ozeki, A. Kato, N. Harada, Y. Ohashi* 243

The initial phase of GnRH-stimulated LH release from pituitary cells is independent of calcium entry through voltage-gated channels (FEB 05387) *C.E. Smith, I. Wakefield, J.A. King, Z. Naor, R.P. Millar, J.S. Davidson* 247

Relaxation of smooth muscle by cardiodilatin/atrial natriuretic peptide is inhibited by cAMP-dependent phosphorylation (FEB 05390) *M. Gagelmann, D. Hock, W.G. Forssmann* 251

Low temperature spectrophotometry on the photoreaction cycle of sensory rhodopsin (FEB 05393) *M. Ariki, Y. Shichida, T. Yoshizawa* 255

Trehalose accumulates in *Saccharomyces cerevisiae* during exposure to agents that induce heat shock response (FEB 05394) *P.V. Attfield* 259

The functional activity of the rat c-Ha-ras promoter requires the coordinate involvement of multiple elements (FEB 05392) *G. Damante, S. Filetti, B. Rapoport* 264

ATPase activity of the microvillar 110 kDa polypeptide-calmodulin complex is activated in Mg^{2+} and inhibited in K^{+}-EDTA by F-actin (FEB 05395) *J. Krizek, L.M. Coluccio, A. Bretscher* 269

Determination of covalently bound *myo*-inositol in bovine erythrocyte acetylcholinesterase and porcine kidney alkaline phosphatase (FEB 05396) *R. Taguchi, M. Kawase, H. Ikezawa* 273

Citrate synthase from the thermophilic archaebacteria *Thermoplasma acidophilum* and *Sulfolobus acidocaldarius* (FEB 05391) *L.D. Smith, K.J. Stevenson, D.W. Hough, M.J. Danson* 277

Author Index 283

Table of Contents 287

Notes to Authors 290

FEBS News

Guidelines for One-Year FEBS Fellowships 292

Guidelines for FEBS Summer Fellowships 293